



QualityBox PC EK268 with edge protection frame

Clear dimensions: 250 x 250 mm
External dimensions: 400 x 400 mm

Basic kits

Basic kit with cast-iron cover:			Clear height: 125 mm
Test classes according to DIN EN 124	B 125²	D 400³	
Cover	12.0 kg	12.0 kg	
Edge protection frame	1.0 kg	1.0 kg	
Upper frame	4.5 kg	4.5 kg	
Base plate	0.5 kg	0.5 kg	
Total weight of basic kit	18.0 kg	18.0 kg	
Overall height of basic kit	160 mm	160 mm	

Basic kit with plastic cover:		Clear height: 125 mm
Test classes according to DIN EN 124	15 kN	
Cover	2.0 kg	
Edge protection frame	1.0 kg	
Upper frame	4.5 kg	
Base plate	0.5 kg	
Total weight of basic kit	8.0 kg	
Overall height of basic kit	160 mm	

QualityBox PC EK268 with edge protection frame


Clear dimensions: 250 x 250 mm
External dimensions: 400 x 400 mm

Frame


220 mm

70 mm


350 mm




Frame 220 mm
Art. no.: 06 268 0066E
1 x Ø110
1 x Ø110
Weight: 6 kg



Frame 70 mm
Art. no.: 06 268 0058E
Weight: 2.5 kg



Frame 350 mm
Art. no.: 06 268 0059E
4 x Ø 30 / 2 x Ø 110 / 1 x Ø 160
4 x Ø 30 / 2 x Ø 110 / 1 x Ø 160
Weight: 10 kg



Frame 350 mm overbuild
Art. no.: 06 268 0089E
4 x Ø 30 / 2 x Ø 110 / 1 x Ø 160
1 x rectangular
Weight: 8.5 kg



QualityBox PC EK268 with edge protection frame

Clear dimensions: 250 x 250 mm
External dimensions: 400 x 400 mm

Order numbers

Manhole with cast-iron or plastic cover, screwed down ⁴	Order number
Basic kit 15 kN, with hex screw connection	06 268 0210E
Basic kit B 125, with hex screw connection	06 268 0310E
Basic kit D 400, with hex screw connection	06 268 0410E
Accessories for cast-iron or plastic covers, screwed down	
Plastic cover 15 kN, 1-piece, including hex screw connection	06 268 0053E
Cast-iron cover B 125 1-piece, including hex screw connection	06 268 0064E
Cast-iron cover D 400 1-piece, including hex screw connection	06 268 0065E
Edge protection frame	06 268 0055E
For all basic kits	Order number
Upper frame with edge protection frame, height 157 mm	06 268 0056E
Base plate, height 5 mm	06 268 0054E