






# QualityBox PC EK338

## Basic kits

Clear dimensions: 550 x 1165 mm  
External dimensions: 746 x 1305 mm

Basic kit with <b>cast-iron</b> cover:			Clear height: 139 mm
Test classes according to DIN EN 124	<b>B 125<sup>2</sup></b>	<b>D 400<sup>3</sup></b>	
Complete cover	68.5 kg	96.5 kg	
Cover	34.5 kg	48.5 kg	
Hot-dip galvanised steel frame	25.5 kg	25.5 kg	
Top frame (standard height)	17.5 kg	17.5 kg	
Base plate	5.0 kg	5.0 kg	
<b>Total weight of basic kit</b>	<b>116.5 kg</b>	<b>144.5 kg</b>	
<b>Overall height of basic kit</b>	<b>240 mm</b>	<b>240 mm</b>	

Basic kit with <b>concrete-lined steel</b> cover:			Clear height: 190 mm
Test classes according to DIN EN 124	<b>B 125<sup>2</sup></b>	<b>D 400<sup>3</sup></b>	
Complete cover	173.0 kg	173.0 kg	
Cover	86.5 kg	86.5 kg	
Hot-dip galvanised steel frame	39.0 kg	39.0 kg	
Top frame (standard height)	17.5 kg	17.5 kg	
Base plate	5.0 kg	5.0 kg	
<b>Total weight of basic kit</b>	<b>234.5 kg</b>	<b>234.5 kg</b>	
<b>Overall height of basic kit</b>	<b>295 mm</b>	<b>295 mm</b>	











Basic kit with <b>paveable steel</b> cover: (paveable height 45 mm)			Clear height: 190 mm
Test classes according to DIN EN 124	<b>B 125<sup>2</sup></b>	<b>D 400<sup>3</sup></b>	
Complete cover (non-paveable)	186.0 kg	186.0 kg	
Cover (non-paveable)	93.0 kg	93.0 kg	
Hot-dip galvanised steel frame	47.5 kg	47.5 kg	
Top frame (standard height)	17.5 kg	17.5 kg	
Base plate	5.0 kg	5.0 kg	
<b>Total weight of basic kit</b>	<b>256.0 kg</b>	<b>256.0 kg</b>	
<b>Overall height of basic kit</b>	<b>340 mm</b>	<b>340 mm</b>	



# QualityBox PC EK338

## Frame / Vario Module

Clear dimensions: 550 x 1165 mm  
External dimensions: 746 x 1305 mm

220 mm	70 mm	Vario Module
 <p><b>Frame 220 mm</b> Art. no.: 06 338 0052E 3 x Ø 110 6 x Ø 110 / 2 x Ø 160 Weight: 17.5 kg</p>	 <p><b>Frame 70 mm</b> Art. no.: 06 338 0058E 5 x Ø 50 6 x Ø 50 Weight: 9.5 kg</p>	 <p><b>Vario Module</b> Art. no.: 06 278 0351E CD550 2 x 160 mm</p>
 <p><b>Frame 220 mm overbuild</b> Art. no.: 06 338 0075E 4 x Ø 50 / 1 x rectangular 6 x Ø 110 / 2 x Ø 160 Weight: 18.0 kg</p>	 <p><b>Frame 70 mm overbuild</b> Art. no.: 06 338 0358E 4 x overbuild / 1 x Ø 50 6 x Ø 50 Weight: 9.0 kg</p>	 <p>Art. no.: 06 338 0350E CD1165 4 x 160 mm</p>
 <p><b>Frame 220 mm overbuild</b> Art. no.: 06 338 0074E 3 x Ø 110 3 x Ø 110 / 2 x rectangular Weight: 19.5</p>	 <p><b>Frame 70 mm overbuild</b> Art. no.: 06 338 0360E 5 x Ø 50 4 x overbuild / 2 x Ø 50 Weight: 9.0 kg</p>	
 <p><b>Frame 220 mm overbuild</b> Art. no.: 06 338 0071E 4 x Ø 50 / 1 x rectangular 3 x Ø 110 / 2 x rectangular Weight: 19.5 kg</p>	 <p><b>Frame 70 mm overbuild</b> Art. no.: 06 338 0359E 4 x overbuild / 1 x Ø 50 4 x overbuild / 2 x Ø 50 Weight: 9.0 kg</p>	

Änderungen vorbehalten | Stand 04-2024

**QualityBox PC EK338**

## Order numbers

Clear dimensions: 550 x 1165 mm

External dimensions: 746 x 1305 mm

<b>Manhole with cast-iron cover, lockable<sup>4</sup></b>	<b>Order number</b>
Basic kit B 125, without lock, locks retrofittable	06 338 2513
Basic kit D 400, hex locking mechanism	06 338 2435
Basic kit D 400, hexagon socket locking mechanism	06 338 2516
Basic kit D 400, LIC-LOCK locking mechanism	06 338 2517
Basic kit D 400, COLT/TELENET locking mechanism	06 338 2518
<b>Accessories for cast-iron cover, lockable</b>	
1 x hex locking mechanism	50 000 6020
1 x hexagon socket locking mechanism	50 000 6040
1 x LIC-LOCK locking mechanism	50 000 6060
1 x COLT/TELENET locking mechanism	50 000 6080
Sealing plug for locking mechanism, black	70 046 0716
Cast-iron cover B 125, 2-piece	70 052 0010E
Cast-iron cover D 400, 2-piece <sup>4</sup>	70 052 0000E
Steel frame	70 034 5180E
<b>Manhole with concrete-lined steel cover, lockable<sup>4</sup></b>	<b>Order number</b>
Basic kit B 125, without lock, locks retrofittable	06 338 2429
Basic kit D 400, hex locking mechanism	06 338 2430
Basic kit D 400, hexagon socket locking mechanism	06 338 2431
Basic kit D 400, LIC-LOCK locking mechanism	06 338 2432
Basic kit D 400, COLT/TELENET locking mechanism	06 338 2433
<b>Accessories for concrete-lined steel cover, lockable</b>	
4 x hex locking mechanisms	50 000 6200
4 x hexagon socket locking mechanisms	50 000 7200
4 x LIC-LOCK locking mechanisms	50 000 8200
4 x COLT/TELENET locking mechanisms	50 000 9200
Sealing plug for locking mechanism, black	70 046 0716
Concrete-lined steel cover, B 125, 2-piece	70 040 2775E
Concrete-lined steel cover, D 400, 2-piece <sup>4</sup>	70 040 2770E
Steel frame	70 039 7480E
<b>Manhole with paveable steel cover, lockable<sup>4</sup></b>	<b>Order number</b>
Basic kit B 125, without lock, locks retrofittable	06 338 2155
Basic kit D 400, without lock, locks retrofittable	06 338 2536
<b>Accessories for paveable steel cover, lockable</b>	
4 x hex locking mechanisms	50 000 6300
4 x hexagon socket locking mechanisms	50 000 7300
4 x LIC-LOCK locking mechanisms	50 000 8300
4 x COLT/TELENET locking mechanisms	50 000 9300
Sealing plug for locking mechanism, black	70 046 0716
Paveable steel cover, D 400, 2-piece <sup>4</sup>	70 088 2300E
Steel frame	70 088 2320E
<b>For all basic kits</b>	<b>Order number</b>
Top frame, height 140 mm	06 338 0082E
Base plate, height 5 mm	06 338 0054E