



QualityBox PC EK428


Clear dimensions: 800 x 1400 mm

Basic kits

Basic kit with triangular **swivellingcast-iron** cover:

External dimensions:
1030 x 1590 mm
Clear height: 135 mm


Test classes according to DIN EN 124	D 400³	
Complete cover	298.0 kg	
Cover	57.0 kg	
Special top frame	35.0 kg	
Base plate	8.5 kg	
Total weight of basic kit	341.5 kg	
Overall height of basic kit	285 mm	



Basic kit with **concrete-lined steel** cover:

External dimensions:
960 x 1560 mm
Clear height: 190 mm


Test classes according to DIN EN 124	B 125²	D 400³
Complete cover	336.0 kg	336.0 kg
Cover	112.0 kg	112.0 kg
Hot-dip galvanised steel frame	52.0 kg	52.0 kg
Top frame (standard height)	35.0 kg	35.0 kg
Base plate	8.5 kg	8.5 kg
Total weight of basic kit	431.5 kg	431.5 kg
Overall height of basic kit	310 mm	310 mm



Basic kit with **paveable steel** cover: (paveable height 45 mm)

External dimensions:
960 x 1560 mm
Clear height: 190 mm

Test classes according to DIN EN 124	B 125²	D 400³
Complete cover (non-paveable)	367.5 kg	367.5 kg
Cover (non-paveable)	122.5 kg	122.5 kg
Hot-dip galvanised steel frame	63.5 kg	63.5 kg
Top frame (standard height)	35.0 kg	35.0 kg
Base plate	8.5 kg	8.5 kg
Total weight of basic kit	474.5 kg	474.5 kg
Overall height of basic kit	355 mm	355 mm





QualityBox PC EK428


Frames / Vario Modules

Clear dimensions: 800 x 1400
mm

220 mm

70 mm

Vario Module



Frame 220 mm

Art. no.: 06 428 0052E
5 x Ø 110 / 8 x Ø 110


Weight: 45.5 kg



Frame 70 mm


Art. no.: 06 428 0058E
6 x Ø 50

Weight: 20.0 kg



Vario Module


Art. no.: 06 328 0350E
CD800 3 x 160 mm



Frame 220 mm overbuild

Art. no.: 06 428 0061E
2 x rectangular / 1 x Ø 110
8 x Ø 110


Weight: 45.5 kg



Frame 70 mm overbuild


Art. no.: 06 428 0358E
4 x overbuild / 2 x Ø 50

Weight: 20.0 kg



Vario Module


Art. no.: 06 578 0350E
CD1400 5 x 160 mm



Frame 220 mm overbuild

Art. no.: 06 428 0085E
5 x Ø 110

4 x rectangular
Weight: 40.0 kg



Frame 220 mm overbuild

Art. no.: 06 428 0062E
2 x rectangular / 1 x Ø 110

4 x rectangular
Weight: 39.5 kg



QualityBox PC EK428

Order numbers

Manhole with triangular swivelling cast-iron cover, lockable ⁴	Order number
Basic kit D 400, COLT/TELENET/OTC locking mechanism	06 428 2202
Accessories for triangular swivelling cast-iron cover, lockable	
Cast-iron cover D 400, 4-piece ⁴	06 428 0281E
Manhole with rectangular swivelling cast-iron cover, lockable ⁴	Order number
Basic kit D 400, COLT/TELENET locking mechanism	06 428 2000
Accessories for rectangular swivelling cast-iron cover, lockable	
Locking flap for locking mechanism	70 065 8202E
Cast-iron cover D 400, 4-section, with steel frame ⁴	06 428 0252E
Top frame	06 428 0083E
Manhole with concrete-lined steel cover, lockable ⁴	Order number
Basic kit B 125, without lock, locks retrofittable	06 428 1006
Basic kit D 400, hex locking mechanism	06 428 1010
Basic kit D 400, hexagon socket locking mechanism	06 428 1014
Basic kit D 400, LIC-LOCK locking mechanism	06 428 1011
Basic kit D 400, COLT/TELENET locking mechanism	06 428 1015
Accessories for concrete-lined steel cover, lockable	
6 x hex locking mechanisms	50 000 6500
6 x hexagon socket locking mechanisms	50 000 7500
6 x LIC-LOCK locking mechanisms	50 000 8500
6 x COLT/TELENET locking mechanisms	50 000 9500
Sealing plug for locking mechanism, black	70 046 0716
Concrete-lined steel cover, B 125, 3-piece	70 045 8675E
Concrete-lined steel cover, D 400, 3-piece ⁴	70 045 8670E
Steel frame	70 042 0180E
Manhole with paveable steel cover, lockable ⁴	Order number
Basic kit B 125, without lock, locks retrofittable	06 428 1005
Basic kit D 400, without lock, locks retrofittable	06 428 1038
Accessories for paveable steel cover, lockable	
6 x hex locking mechanisms	50 000 6500
6 x hexagon socket locking mechanisms	50 000 7500
6 x LIC-LOCK locking mechanisms	50 000 8500
6 x COLT/TELENET locking mechanisms	50 000 9500
Sealing plug for locking mechanism, black	70 046 0716
Paveable steel cover, D 400, 3-piece ⁴	70 088 2800E
Steel frame D 400	70 088 2820E
For all basic kits	
Top frame, height 140 mm	06 428 0082E
Base plate, height 5 mm	06 428 0054E