






QualityBox PC EK508

Basic kits

Clear dimensions: 800 x 1165 mm
External dimensions: 990 x 1330 mm

Basic kit with cast-iron cover:			Clear height: 139 mm
Test classes according to DIN EN 124	B 125²	D 400³	
Complete cover	93.5 kg	132.5 kg	
Cover	47.0 kg	66.5 kg	
Hot-dip galvanised steel frame	29.0 kg	29.0 kg	
Top frame (standard height)	23.5 kg	23.5 kg	
Base plate	7.5 kg	7.5 kg	
Total weight of basic kit	153.5 kg	192.5 kg	
Overall height of basic kit	240 mm	240 mm	

Basic kit with concrete-lined steel cover:			Clear height: 190 mm
Test classes according to DIN EN 124	B 125²	D 400³	
Complete cover	282.0 kg	282.0 kg	
Cover	141.0 kg	141.0 kg	
Hot-dip galvanised steel frame	46.5 kg	46.5 kg	
Top frame (standard height)	23.5 kg	23.5 kg	
Base plate	7.5 kg	7.5 kg	
Total weight of basic kit	359.5 kg	500.5 kg	
Overall height of basic kit	310 mm	310 mm	











Basic kit with paveable steel cover: (paveable height 45 mm)			Clear height: 190 mm
Test classes according to DIN EN 124	B 125²	D 400³	
Complete cover (non-paveable)	298.0 kg	298.0 kg	
Cover (non-paveable)	149.0 kg	149.0 kg	
Hot-dip galvanised steel frame	56.5 kg	56.5 kg	
Top frame (standard height)	23.5 kg	23.5 kg	
Base plate	7.5 kg	7.5 kg	
Total weight of basic kit	385.5 kg	534.5 kg	
Overall height of basic kit	355 mm	355 mm	



QualityBox PC EK508

Frames / Vario Modules

Clear dimensions: 800 x 1165 mm
External dimensions: 990 x 1330 mm

220 mm	70 mm	Vario Module
 <p>Frame 220 mm Art. no.: 06 508 0052E 5 x Ø 110 6 x Ø 110 / 2 x Ø 160 Weight: 21.5 kg</p>	 <p>Frame 70 mm Art. no.: 06 508 0058E 6 x Ø 50 6 x Ø 50 Weight: 11.0 kg</p>	 <p>Vario Module Art. no.: 06 328 0350E CD800 3 x 160 mm</p>
 <p>Frame 220 mm overbuild Art. no.: 06 508 0049E 2 x rectangular / 1 x Ø 110 6 x Ø 110 / 2 x Ø 160 Weight: 21.5 kg</p>	 <p>Frame 70 mm overbuild Art. no.: 06 508 0358E 4 x overbuild / 2 x Ø 50 6 x Ø 50 Weight: 11.0 kg</p>	 <p>Vario Module Art. no.: 06 338 0350E CD1165 4 x 160 mm</p>
 <p>Frame 220 mm overbuild Art. no.: 06 508 0030E 5 x Ø 110 2 x rectangular / 3 x Ø 110 Weight: 23.5 kg</p>	 <p>Frame 70 mm overbuild Art. no.: 06 508 0360E 6 x Ø 50 4 x overbuild / 2 x Ø 50 Weight: 11.0 kg</p>	
 <p>Frame 220 mm overbuild Art. no.: 06 508 0055E 2 x rectangular / 1 x Ø 110 2 x rectangular / 3 x Ø 110 Weight: 23.0 kg</p>	 <p>Frame 70 mm overbuild Art. no.: 06 508 0359E 4 x overbuild / 2 x Ø 50 4 x overbuild / 2 x Ø 50 Weight: 11.0 kg</p>	

Änderungen vorbehalten | Stand 04-2024



QualityBox PC EK508

Order numbers

Clear dimensions: 800 x 1165 mm

External dimensions: 990 x 1330 mm

Manhole with cast-iron cover, lockable⁴	Order number
Basic kit B 125, without lock, locks retrofittable	06 508 1386
Basic kit D 400, hex locking mechanism	06 508 1387
Basic kit D 400, hexagon socket locking mechanism	06 508 1388
Basic kit D 400, LIC-LOCK locking mechanism	06 508 1389
Basic kit D 400, COLT/TELENET locking mechanism	06 508 1390
Accessories for cast-iron cover, lockable	
1 x hex locking mechanism	50 000 6020
1 x hexagon socket locking mechanism	50 000 6040
1 x LIC-LOCK locking mechanism	50 000 6060
1 x COLT/TELENET locking mechanism	50 000 6080
Sealing plug for locking mechanism, black	70 046 0716
Cast-iron cover B 125, 2-piece	70 052 0070E
Cast-iron cover D 400, 2-piece ⁴	70 052 0060E
Steel frame	70 034 6281E
Manhole with concrete-lined steel cover, lockable⁴	Order number
Basic kit B 125, without lock, locks retrofittable	06 508 1310
Basic kit D 400, hex locking mechanism	06 508 1311
Basic kit D 400, hexagon socket locking mechanism	06 508 1312
Basic kit D 400, LIC-LOCK locking mechanism	06 508 1313
Basic kit D 400, COLT/TELENET locking mechanism	06 508 1314
Accessories for concrete-lined steel cover, lockable	
4 x hex locking mechanisms	50 000 6300
4 x hexagon socket locking mechanisms	50 000 7300
4 x LIC-LOCK locking mechanisms	50 000 8300
4 x COLT/TELENET locking mechanisms	50 000 9300
Sealing plug for locking mechanism, black	70 046 0716
Concrete-lined steel cover, B 125, 2-piece	70 046 0375E
Concrete-lined steel cover, D 400, 2-piece ⁴	70 046 0370E
Steel frame	70 039 7980E
Manhole with paveable steel cover, lockable⁴	Order number
Basic kit B 125, without lock, locks retrofittable	06 508 1113
Basic kit D 400, without lock, locks retrofittable	06 508 1639
Accessories for paveable steel cover, lockable	
4 x hex locking mechanisms	50 000 6300
4 x hexagon socket locking mechanisms	50 000 7300
4 x LIC-LOCK locking mechanisms	50 000 8300
4 x COLT/TELENET locking mechanisms	50 000 9300
Sealing plug for locking mechanism, black	70 046 0716
Paveable steel cover, D 400, 2-piece ⁴	70 088 2700E
Steel frame	70 088 2720E
For all basic kits	Order number
Top frame, height 140 mm	06 508 0082E
Base plate, height 5 mm	06 508 0054E