



QualityBox PC EK358 Basic kits

Internal dimensions: 400 x 400 mm

Outer dimensions: 540 x 540 mm

Basic kit with cast-iron cover:			Clearance height: 140 mm
Test classes according to DIN EN 124	B 125²	D 400³	
Cover	29.0 kg	29.0 kg	
Hot-dip galvanised steel frame	17.0 kg	17.0 kg	
Top frame (standard height)	8.0 kg	8.0 kg	
Base plate	2.0 kg	2.0 kg	
Total weight of basic kit	56.0 kg	56.0 kg	
Overall height of basic kit	240 mm	240 mm	

Basic kit with concrete-lined steel cover:			Clearance height: 190 mm
Test classes according to DIN EN 124	B 125²	D 400³	
Cover	49.0 kg	49.0 kg	
Hot-dip galvanised steel frame	24.0 kg	24.0 kg	
Top frame (standard height)	8.0 kg	8.0 kg	
Base plate	2.0 kg	2.0 kg	
Total weight of basic kit	83.0 kg	83.0 kg	
Overall height of basic kit	295 mm	295 mm	


Basic kit with paveable steel cover: (paveable height 45 mm)			Clearance height: 190 mm
Test classes according to DIN EN 124	B 125²	D 400³	
Cover (without paving)	55.0 kg	55.0 kg	
Hot-dip galvanised steel frame	27.0 kg	27.0 kg	
Top frame (standard height)	8.0 kg	8.0 kg	
Base plate	2.0 kg	2.0 kg	
Total weight of basic kit	92.0 kg	92.0 kg	
Overall height of basic kit	340 mm	340 mm	

Basic kit with chequered stud plate cover:			Clearance height: 160 mm
Test classes according to DIN EN 124	A 15¹		
Cover	15.0 kg		
Hot-dip galvanised steel frame	17.0 kg		
Top frame (standard height)	8.0 kg		
Base plate	2.0 kg		
Total weight of basic kit	42.0 kg		
Overall height of basic kit	240 mm		



QualityBox PC EK358 Frame

Internal dimensions: 400 x 400 mm
Outer dimensions: 540 x 540 mm



Frame 70 mm

Art. no.: 06 358 0058E

3 x Ø 50

3 x Ø 50

Weight: 3.2 kg




Frame 70 mm overbuild

Art. no.: 06 358 0358E

2 x overbuild / 1 x Ø 50

3 x Ø 50

Weight: 3.2 kg




Frame 220 mm

Art. no.: 06 358 0052E

3 x Ø 110

3 x Ø 110

Weight: 8.5 kg




Frame 220 mm

Art. no.: 06 358 0072E

1 x rectangular

1 x rectangular

Weight: 6.0 kg



Frame 220 mm

Art. no.: 06 358 0073E

3 x Ø 110

1 x rectangular

Weight: 7.0 kg



QualityBox PC EK358 Order numbers

Internal dimensions: 400 x 400 mm

Outer dimensions: 540 x 540 mm

Manhole with cast-iron cover, lockable ⁴	Order number
Basic kit B 125, not locked, locks retrofittable	06 358 1151
Basic kit D 400, hex locking mechanism	06 358 1150
Basic kit D 400, hex socket locking mechanism	06 358 1249
Basic kit D 400, LIC-lock locking mechanism	06 358 1164
Basic kit D 400, COLT/TELENET locking mechanism	06 358 1250
Accessories for cast-iron cover, lockable	
1 x hex locking mechanism	50 000 6020
1 x hex socket locking mechanism	50 000 6040
1 x LIC-lock locking mechanism	50 000 6060
1 x COLT/TELENET locking mechanism	50 000 6080
Sealing plug for locking mechanism, black	70 046 0716
Cast-iron cover B 125, 1-piece	70 033 9382E
Cast-iron cover D 400, 1-piece	70 033 9483E
Steel frame	70 034 5280E
Manhole with concrete-lined steel cover, lockable ⁴	
Basic kit B 125, not locked, locks retrofittable	06 358 1105
Basic kit D 400, hex locking mechanism	06 358 1106
Basic kit D 400, hex socket locking mechanism	06 358 1107
Basic kit D 400, LIC-lock locking mechanism	06 358 1108
Basic kit D 400, COLT/TELENET locking mechanism	06 358 1109
Accessories for concrete-lined steel cover, lockable	
2 x hex locking mechanism	50 000 6100
2 x hex socket locking mechanism	50 000 7100
2 x LIC-lock locking mechanisms	50 000 8100
2 x COLT/TELENET locking mechanism	50 000 9100
Sealing plug for locking mechanism, black	70 046 0716
Concrete-lined steel cover, B 125, 1-piece	70 040 6385E
Concrete-lined steel cover, D 400, 1-piece	70 040 6380E
Steel frame	70 039 6680E
Manhole with paveable steel cover, lockable ⁴	
Basic kit B 125, not locked, locks retrofittable	06 358 1034
Basic kit D 400, unlocked, locks retrofittable	06 358 1251
Accessories for paveable steel cover, lockable	
2 x hex locking mechanism	50 000 6150
2 x hex socket locking mechanism	50 000 6160
2 x LIC-lock locking mechanisms	50 000 6170
2 x COLT/TELENET locking mechanism	50 000 6180
Sealing plug for locking mechanism, black	70 046 0716
Paveable steel cover, D 400, 1-piece	70 088 2300E
Steel frame	70 088 2320E



QualityBox PC EK358 Order numbers

Internal dimensions: 400 x 400 mm

Outer dimensions: 540 x 540 mm

Manhole with chequered stud plate cover, screwed down	Order number
Basic kit A 15, hex screw connection	06 358 1385
Basic kit A 15, hex socket screw connection	06 358 1426
Basic kit A 15, LIC-lock screw connection	06 358 1427
Basic kit A 15, COLT/TELENET screw connection	06 358 1428
Accessories for chequered stud plate cover, screwed down	
4 x hex screw connection	50 000 2200
4 x hex socket screw connection	50 000 2300
4 x LIC-lock screw connections	50 000 2400
4 x COLT/TELENET screw connection	50 000 2450
Chequered stud plate cover, A 15, 1-piece	70 058 6500E
Steel frame	70 034 5200E
For all basic kits	Order number
Top frame, height 140 mm	06 358 0082E
Base plate, height 5 mm	06 358 0054E